Subject Index, Volume 13, 1996

Acanthosis nigricans, in Crouzon disease, 18–21
Acropustulosis, infantile, 166–167
Acute hemorrhagic edema of childhood, 39–44
Acute lymphoblastic leukemia, post-radiation-induced basal cell carcinoma, 54–57
African-Americans. *See* Blacks
Alopecia
  areata of childhood, in Chandigarh, India, 372–377
  areata, colocalization with lichen planus, 258(c)
  congenital triangular, 394–396
  traction, 158, 161, 167
Alpha-interferon, plus PUVA, for cutaneous T-cell lymphoma, 496–500
Amelanotic spitzoid melanoma, in burn scar, 285–287
Anagen hair, loose, in hypohidrotic ectodermal dysplasia, 29–32
Anetoderma, primary, 382–385
Antifungal therapy, cutaneous, International Summit on, 69–77
Atopic dermatitis
  in African-Americans, 162
  in blacks, 163, 164–165, 168
  in infancy, steroid efficacy for, 513–514
  minor clinical features of, 10–13, 61–62
  periauricular eczematization in, 278–280
Atopic diathesis, 81–82(c)
Atopic eczema, phototherapy for, 422

Basal cell carcinoma, radiation-induced, 54–57
Basement membrane zone, in focal dermal hypoplasia, 5–9
BCG vaccination, disseminated cutaneous eruption after, 451–454
Beard growth, unilateral localized failure of, 143–145
Bifonazole shampoo, for scalp seborrhea, 151–153
Blacks
  atopic dermatitis in, 162, 163, 164–165, 168
  conditions associated with African descent, 166–167
  dyspigmentation in, 163
  erythema in, 163
  hair problems in, 158, 161
  pigmentary conditions in, 160–161
  pityriasis rosea in, 163
Blaschko lines, congenital psoriasis following, 219–221
Branchio-oto-renal syndrome, 507–508
Bullous dermatosis of childhood, chronic, 509–512

Café au lait spots, 162, 166
Calcinosis cutis of childhood, 114–117
Cerebriform nodule, congenital, 345–346
Chondrodysplasia punctata, X-linked dominant, histopathologic examination for, 1–4
Cicatricial pemphigoid, in teenager, 403–405
Cimetidine, for molluscum contagiosum, 310–312
Colobomas, in Zunich neuroectodermal syndrome, 363–371
Congenital disorders. *See specific congenital disorders*
Corticosteroid pulse therapy
  for juvenile dermatomyositis, 347–348
  for lymphomatoid papulosis, 501–506
Cough suppressant, nonprescription, bullous mastocytosis associated with, 410–414
Crohn's disease
  metastatic, 25–28
  vesiculopustular eruption of, 127–130
Crouzon disease, with acanthosis nigricans and melanocytic nevi, 18–21
Cutaneous T-cell lymphoma, alpha-interferon plus PUVA for, 496–500
Cutaneous tuberculosis, in child, 386–388
Cutis marmorata telangiectatica congenita, differential diagnosis, 230–232
5-S-Cysteinyldopa, in melanoma, 324

Dark-skinned individuals, normal findings in, 165–166
Dermatitis, childhood granulomatous perioral, 131–134, 515(c)
Dermatomyositis, juvenile
  with partial lipodystrophy, 477–482
  pulse corticosteroid therapy for, 347–348
Dermatosis papulosa nigra, 166
Discoid lupus erythematosus, histopathology and immunofluorescence of, 269–273
Disseminated fusariosis, 118–121
Dyspigmentation, in blacks, 163

Ear piercing, keloid risk from, 430
Eccrine angiomatous hamartoma, 139–142
Eccrine sweat gland involvement, in Fox-Fordyce disease, 294–297
Ectodermal dysplasia, hypohidrotic, loose anagen hair in, 29–32
Eczema, atopic, phototherapy for, 422
Ehlers-Danlos syndrome, mechanical properties of skin in, 464–467
Elastosis perforans serpiginosa, unusual presentation of, 435–436
Epidermolysis bullosa of Dowling-Meara
  clinical and ultrastructural findings in, 207–211
  with mottled pigmentation, 306–309
Erythema
  in blacks, 163
  paint pellet, 174–175(c)
Erythema nodosum, in children, 447–450
Exfoliative dermatitis, from carbamazepine hypersensitivity, 316–320

Subject Index, Volume 13, 1996

Acanthosis nigricans, in Crouzon disease, 18–21
Acropustulosis, infantile, 166–167
Acute hemorrhagic edema of childhood, 39–44
Acute lymphoblastic leukemia, post-radiation-induced basal cell carcinoma, 54–57
African-Americans. *See* Blacks
Alopecia
  areata of childhood, in Chandigarh, India, 372–377
  areata, colocalization with lichen planus, 258(c)
  congenital triangular, 394–396
  traction, 158, 161, 167
Alpha-interferon, plus PUVA, for cutaneous T-cell lymphoma, 496–500
Amelanotic spitzoid melanoma, in burn scar, 285–287
Anagen hair, loose, in hypohidrotic ectodermal dysplasia, 29–32
Anetoderma, primary, 382–385
Antifungal therapy, cutaneous, International Summit on, 69–77
Atopic dermatitis
  in African-Americans, 162
  in blacks, 163, 164–165, 168
  in infancy, steroid efficacy for, 513–514
  minor clinical features of, 10–13, 61–62
  periauricular eczematization in, 278–280
Atopic diathesis, 81–82(c)
Atopic eczema, phototherapy for, 422

Basal cell carcinoma, radiation-induced, 54–57
Basement membrane zone, in focal dermal hypoplasia, 5–9
BCG vaccination, disseminated cutaneous eruption after, 451–454
Beard growth, unilateral localized failure of, 143–145
Bifonazole shampoo, for scalp seborrhea, 151–153
Blacks
  atopic dermatitis in, 162, 163, 164–165, 168
  conditions associated with African descent, 166–167
  dyspigmentation in, 163
  erythema in, 163
  hair problems in, 158, 161
  pigmentary conditions in, 160–161
  pityriasis rosea in, 163
Blaschko lines, congenital psoriasis following, 219–221
Branchio-oto-renal syndrome, 507–508
Bullous dermatosis of childhood, chronic, 509–512

Café au lait spots, 162, 166
Calcinosis cutis of childhood, 114–117
Cerebriform nodule, congenital, 345–346
Chondrodysplasia punctata, X-linked dominant, histopathologic examination for, 1–4
Cicatricial pemphigoid, in teenager, 403–405
Cimetidine, for molluscum contagiosum, 310–312
Colobomas, in Zunich neuroectodermal syndrome, 363–371
Congenital disorders. *See specific congenital disorders*
Corticosteroid pulse therapy
  for juvenile dermatomyositis, 347–348
  for lymphomatoid papulosis, 501–506
Cough suppressant, nonprescription, bullous mastocytosis associated with, 410–414
Crohn's disease
  metastatic, 25–28
  vesiculopustular eruption of, 127–130
Crouzon disease, with acanthosis nigricans and melanocytic nevi, 18–21
Cutaneous T-cell lymphoma, alpha-interferon plus PUVA for, 496–500
Cutaneous tuberculosis, in child, 386–388
Cutis marmorata telangiectatica congenita, differential diagnosis, 230–232
5-S-Cysteinyldopa, in melanoma, 324

Dark-skinned individuals, normal findings in, 165–166
Dermatitis, childhood granulomatous perioral, 131–134, 515(c)
Dermatomyositis, juvenile
  with partial lipodystrophy, 477–482
  pulse corticosteroid therapy for, 347–348
Dermatosis papulosa nigra, 166
Discoid lupus erythematosus, histopathology and immunofluorescence of, 269–273
Disseminated fusariosis, 118–121
Dyspigmentation, in blacks, 163

Ear piercing, keloid risk from, 430
Eccrine angiomatous hamartoma, 139–142
Eccrine sweat gland involvement, in Fox-Fordyce disease, 294–297
Ectodermal dysplasia, hypohidrotic, loose anagen hair in, 29–32
Eczema, atopic, phototherapy for, 422
Ehlers-Danlos syndrome, mechanical properties of skin in, 464–467
Elastosis perforans serpiginosa, unusual presentation of, 435–436
Epidermolysis bullosa of Dowling-Meara
  clinical and ultrastructural findings in, 207–211
  with mottled pigmentation, 306–309
Erythema
  in blacks, 163
  paint pellet, 174–175(c)
Erythema nodosum, in children, 447–450
Exfoliative dermatitis, from carbamazepine hypersensitivity, 316–320

Fibrous hamartoma of infancy, 171–172
Fluconazole, for onychomycosis with hyperimmunoglobulin E syndrome, 493–495
Focal dermal hypoplasia, basement membrane zone in, 5–9
Follicular papules, of individuals of African or Asian descent, 158–160
Fox-Fordyce disease, eccrine sweat gland involvement in, 294–297
Fusariosis, disseminated, 118–121

Generalized exfoliative erythroderma, congenital, 183–199
Graft-*versus*-host disease, phototherapy for, 423
Granulomatous periorificial dermatitis of childhood, 515(c)
Grease acne, 167

Hair follicle nevus, 135–138
Hairy elbows syndrome, 303–305
Hallermann-Streiff syndrome, 255–257
Hamartoma
  eccrine angiomatous, 139–142
  fibrous, of infancy, 171–172
  smooth muscle. *See* Smooth muscle hamartoma, congenital
Hemangioma, malignant rhabdoid tumor presenting as, 468–471
Hemorrhagic edema of childhood, acute, 39–44
Herpes zoster, in childhood, 226–229
Histopathologic examination, for X-linked dominant chondrodysplasia puncta, 1–4
HIV infection, itraconazole responsive tinea capitis in, 313–315
Hyperimmunoglobulin E syndrome, with onychomycosis, fluconazole for, 493–495
Hyperpigmentation, of individuals of African or Asian descent, 160–161
Hypertrichosis cubiti, 303–305
Hypohidrotic ectodermal dysplasia, loose anagen hair in, 29–32
Hypopigmentation, of individuals of African or Asian descent, 160–161

Id reaction, of molluscum contagiosum, 349–350(c)
Incontinentia pigmenti
  course in, unusual, 434(c)
  presentation, unusual, 47–50
Infants. *See also specific congenital syndromes*
  acropustulosis in, 166–167
  acute hemorrhagic edema of childhood, 39–44
  bullous mastocytosis from nonprescription cough suppressant, 410–414
  fibrous hamartoma in, 171–172
  severe congenital generalized exfoliative erythroderma in, 183–199
  skin pH, after baby wipe usage, 14–17
  trichophyton rubrum infection in, 488–489
Informed consent, for ear piercing, 430
International Summit on Cutaneous Antifungal Therapy, 69–77
Iododerma, 51–53
Iris hamartomas, in phakomatosis pigmentovascularis, 33–35
Isotretinoin, and substance abuse, mood changes of, 350(c)
Itraconazole, responsive tinea capitis, in HIV-infected child, 313–315

Juvenile dermatomyositis. *See* Dermatomyositis, juvenile
Juvenile generalized pustular psoriasis, 45–46
Juvenile xanthogranuloma. *See* Xanthogranuloma, juvenile

Kawasaki disease, 162
KED syndrome, *vs.* KID syndrome, 154–157
Keloids, from ear piercing, 430
KID syndrome
  literature review and terminology for, 105–113
  vs. KED syndrome, 154–157
Kindler syndrome, 397–402, 427–429

Leishmaniasis, tegumentary in childhood, 455–463
LEOPARD syndrome, *vs.* multiple lentigines syndrome, 100–104
Lesch-Nyhan syndrome, 169–170
Leukemia cutis
  clinical and immunohistochemical studies of, 200–206
  congenital, preceding monoblastic leukemia, 472–476
Lichen aureus, with uncommon features, 173(c)
Lichen planus, colocalization with alopecia areata, 258(c)
Lichen striatus, 95–99
Linear atrophic plaque, congenital smooth muscle hamartoma presenting as, 222–225
Linear IgA dermatosis of childhood, 509–512
Linear sebaceous nevus syndrome, with unusual associated abnormalities, 22–24
Lipodystrophy, partial, with juvenile dermatomyositis, 477–482
Loose anagen hair syndrome, 29–32
Lupus erythematosus
  discoid, 269–273
  neonatal. *See* Neonatal lupus erythematosus
Lymphomatoid papulosis, pulse corticosteroid therapy for, 501–506

Macular pigmentation, idiopathic eruptive, 274–277
Mastocytosis
  bullous mastocytosis, associated with nonprescription cough suppressant, 410–414
Melanocytic nevi, congenital
  in blacks, 160
  in Crouzon disease, 18–21
  management of, 321–340
Melanoma
  amelanotic spitzoid, in burn scar, 285–287
  burn scar, amelanotic spitzoid melanoma in, 285–287
  congenital, rhabdomyogenic differentiation of, 389–393
  in congenital melanocytic nevi syndrome, 321–340
  cutaneous, nevus spilus as precursor for, 250–252
  5-S-cysteinyldopa in, 324
Melanosis, transient neonatal pustular, 167
Meningococcemia, chronic in childhood, 483–487
Migratory ichthyosiform dermatosis, in Zunich neuroectodermal syndrome, 363–371
Molluscum contagiosum
  cimetidine for, 310–312
  id reaction to, 349–350(c)
Mood changes, with isotretinoin and substance abuse, 350(c)
Mucha-Habermann disease, 162
Multiple lentigines syndrome, pigmentary anomalies in, 100–104

Necrotizing fasciitis, aerobic and anaerobic microbiology of, 281–284
Neonatal lupus erythematosus
  differential diagnosis, 230–232
  with Turner syndrome, 298–301
Neonates. *See* Infants
Netherton syndrome, severe congenital generalized exfoliative erytheroderma and, 183–199
Nevoid hypermelanosis, linear and whorled, 148–150
Nevus
  CHILD syndrome, 78(c), 79(c)
  hair follicle, 135–138
Nevus spilus
  as cutaneous melanoma precursor, 250–252
  management of, 233–238

Onychomycosis with hyperimmunoglobulin E syndrome, fluconazole for, 493–495

Pachydermodactyly, in two young girls, 288–291
Paint pellet erythema, 174–175(c)
Papular urticaria, in children, 246–249
Pemphigus foliaceus, in child, 259(c)
Periauricular eczematization, in atopic dermatitis, 278–280
Periorificial dermatitis, childhood granulomatous, 515(c)
pH, skin, after baby wipe usage, 14–17
Phakomatosis pigmentovascularis
  case report, 36–38
  with iris hamartomas, 33–35
Photosensitivity, phototherapy for, 423
Phototherapy, for children, 415–426. *See also specific types of phototherapy*
Pigmentary changes, secondary, of individuals of African or Asian descent, 158
Pityriasis alba, in blacks, 160, 168
Pityriasis rosea, in blacks, 163, 168
Pomade acne, 167
Primary anetoderma, in children, 382–385
Prolidase deficiency, skin ulcers, topical treatment of, 58–60
Pseudofolliculitis barbae, 161
Psoriasis
  congenital, following lines of Blaschko, 219–221
  juvenile generalized pustular, 45–46
  phototherapy for, 422
PUVA phototherapy
  for children, 415–426
  plus alpha-interferon, for cutaneous T-cell lymphoma, 496–500
  for vitiligo, 168

Rhabdoid tumor, presenting as hemangioma, 468–471
Rhabdomyogenic differentiation, of congenital melanoma, 389–393
Rothmund-Thomson syndrome, cutaneous vascular component, treatment of, 175(c)

Scalp seborrhea, bifonazole shampoo for, 151–153
Seborrheic dermatitis, in blacks, 164
Skin. *See also specific skin diseases/manifestations*
  disease prevalence, in school-age children in Ethiopia, 378–381
  manifestations, of individuals of African or Asian descent, 158–168
  mechanical properties, in Ehlers-Danlos syndrome, 464–467
  pH, after baby wipe usage, 14–17
  ulcers in prolidase deficiency, topical treatment of, 58–60
Smooth muscle hamartoma, congenital
  diagnosis of, 431–433
  presenting as linear atrophic plaque, 222–225
Staphylococcal blistering dactylitis, 292–293
Steroids. *See also* Corticosteroid pulse therapy
  topical potency, 239–245
Subepidermal calcified nodule, 253–254
Substance abuse, and isotretinoin, mood changes of, 350(c)
Subungual exostosis, 212–218
Syringomas, localized vulvar, 80–81(c)

T-cell lymphoma, cutaneous, alpha-interferon plus PUVA for, 496–500

Tegumentary leishmaniasis, in childhood, 455–463
Tinea capitis
  clinical manifestations of, 72–73
  epidemiology, 69–71
  itraconazole responsive, in HIV-infected child, 313–315
  management of, 73–76
  pathogenesis of, 71–72
  seborrheic form, 158
  trichophyton tonsurans, 162, 167
Tinea versicolor, 160–161
Traction alopecia, 158, 161, 167
Triangular alopecia, congenital, 394–396
Trichophyton rubrum infection, in neonate, 488–489
Trichostasis spinulosa, 490–492
Tuberculosis, cutaneous, in child, 386–388
Turner syndrome, with neonatal lupus erythematosus, 298–301

Urticaria, papular, 246–249
Urticaria pigmentosa, with juvenile xanthogranuloma, 122–126
UVA phototherapy, for children, 415–426
UVB phototherapy, for children, 406–409, 415–426

Varicella syndrome, congenital, 341–343
Vesiculopustular eruption, of Crohn's disease, 127–130
Vitiligo
  in blacks, 168
  phototherapy for, 422–423
Vulvar, localized vulvar syringomas, 80–81(c)

Witkop tooth and nail syndrome, 63–64

Xanthogranuloma, juvenile
  diagnosis of, 65–68
  of palm, 146–147
  with urticaria pigmentosa, 122–126
X-linked dominant chondrodysplasia puncta, histopathologic examination, 1–4

Zunich neuroectodermal syndrome, 363–371

Author Index, Volume 13, 1996

Abraha, A., 378–381
Aeling, J.L., 239–245
Aguilar, A., 303–305
Albrecht-Nebe, H., 363–371
Aldridge, R.D., 14–17
Alpay, K., 51–53
Alsaleh, Q.A., 148–150
Amerio, P., 22–24
Amichai, B., 255–257
Andrac, L., 233–238
Angelo, C., 207–211
Anton-Lamprecht, I., 183–199, 363–371
Armijo, M., 54–57
Armstrong, D.K.B., 394–396
Arnsmeier, S.L., 100–104
Arrazola, J.M., 143–145
Artese, O., 22–24
Asano, N., 1–4
Atherton, D.J., 415–418
Aubert, J.P., 233–238
Audring, H., 363–371
Azón-Masoliver, A., 29–32

Badiali de Giorgi, L., 397–402
Bang, D., 5–9
Baptista, A.P., 298–302
Bardazzi, F., 288–291
Bardot, J., 233–238
Barron, D.R., 171–172
Bastida, P., 114–117, 118–121
Benner, R., 316–320
Bielsa, I., 230–232
Bioulac-Sage, P., 274–277
Bisighini, G., 80–81(c)
Bonardeaux, C., 219–221
Borbujo, J., 435–436
Brook, I., 281–284
Bruyneel-Rapp, F., 427–429
Burrows, D., 394–396

Caceres-Rios, H., 105–113
Calobrisi, S.D., 171–172
Camacho, F., 18–21
Caro, W.A., 39–44
Carrascosa, J.M., 230–232
Casado, M., 435–436
Casanova, D., 233–238
Castells, A., 114–117, 118–121
Cazzato, C., 22–24
Cha, M.S., 5–9
Cobb, M.W., 253–254
Cohen, B.L., 418–419
Cohen, P.R., 135–138, 212–218
Colome-Grimmer, M., 222–225
Colonna, L., 207–211
Cook, J., 410–414

Coroleu, W., 230–232
Cottoni, F., 259–260(c)
Creus, M., 114–117, 118–121
Cucchiarelli, S., 22–24
Cummins, R.E., 25–28
Cunningham, B.B., 39–44

Davis, D.A., 135–138, 212–218
Davis, L., 430
Dawn, G., 372–377
de Argila, D., 434–435(c)
de Galdeano, C.S., 274–277
de la Brassinne, M., 219–221
de la Luz Orozco, M., 105–113
de Lucas, R., 435–436
de Moragas, J.M., 349–350(c)
Dezfoulian, B., 219–221
Dhar, S., 10–13, 81–82(c), 258–259(c)
Di Lernia, V., 80–81(c)
Dohil, M., 310–312
Dowlati, Y., 285–287
Drut, R., 294–297
Durán, C., 292–293
Duran-Mckinster, C., 105–113

Eichenfield, L.F., 127–130
Elewski, B.E., 69–77
Ellis, D.L., 334–336
Enjolras, O., 65–68, 333–334
Eramo, L.R., 39–44
Escalonilla, P., 303–305
Evans, C.M., 253–254
Evans, L.A., 253–254

Fanti, P.A., 288–291
Faraggiana, T., 207–211
Fariña, M.C., 303–305
Fathallah, M.A., 148–150
Ferrándiz, C., 230–232
Ferrando, J., 29–32
Figueroa, J.I., 378–381
Finkelstein, E., 255–257
Fogel, D., 151–153
Ford, M.J., 25–28
Frieden, I.J., 246–249, 321–324
Friedman, J., 47–50
Friedman, K.J., 122–126
Fuller, L.C., 378–381
Furukawa, S., 200–206

Gallego, M., 303–305
García-Patos, V., 114–117, 118–121
García-Silva, J., 54–57
Garzon, M., 419–420
Garzon, M.C., 63–64
Gaughf, C.N., 430
Gelmetti, C., 329–330
George, P.M., 269–273
Geronemus, R.G., 175(c)
Ghorbani, Z., 285–287
Gilbertson, E.O., 127–130
Ginés, E., 18–21
Glaser, D.A., 226–229
Gosain, S., 165–168
Goyal, A.M., 45–46
Grant-Kels, J.M., 331–333
Grau-Massanes, M., 222–225
Greco, D., 169–170
Griego, R.D., 47–50
Grin, C.M., 331–333
Grunebaum, M., 255–257
Guerra, A., 434–435(c)
Guerrini, V., 173(c)
Guillemette, J., 65–68

Happle, R., 78(c)
Hashimoto, K., 78–80(c)
Hassab-El-Naby, H.M.M., 148–150
Hausser, I., 183–199
Hay, R.J., 69–77, 378–381
Hebel, J., 345–346
Hepburn, D.J., 239–245
Hirose, M., 1–4
Hood, A.F., 269–273
Howard, R., 246–249
Hwang, J.H., 278–280

Iezzi, D., 22–24
Iglesias, L., 434–435(c)
Ikeda, S., 324–326
Izaki, S., 324–326

Jemec, G.B.E., 58–60
Jorda, E., 139–142
Jorquera, E., 18–21

Kalla, G., 45–46
Kanwar, A.J., 10–13, 81–82(c)
Karrer, S., 382–385
Kellner, B., 341–344
Kennedy, D., 95–99
Kenney, J.A., Jr., 160–161
Kim, C.-W., 146–147
Kim, K.H., 278–280
Kim, S.C., 5–9
Kim, T.-Y., 146–147

Kitai, I., 341–344
Kitamura, K., 324–326
Knable, A., 431–433
Knautz, M.A., 131–134
Knobler, E., 419–420
Koga, M., 200–206
Kovacs, S.O., 350(c)
Koyama, T., 389–393
Krafchik, B.R., 61–62, 341–344
Kumar, B., 372–377
Kürkçüo;crglu, N., 51–53

Landthaler, M., 382–385
Laude, T.A., 158–160, 403–405
Léauté-Labrèze, C., 274–277
Ledo, A., 143–145
Lee, I.J., 5–9
Le Gal, F.-A., 65–68
Lehners-Weber, C., 219–221
Lesher, J.L., Jr., 131–134
Levy, M.L., 47–50, 165–168, 313–315
Lijnen, R.L.P., 316–320
Lucky, A.W., 171–172, 337–338
Luke, M.C., 427–429

McCalmont, T.H., 154–157
Mackey, S.L., 345–346
McVittie, E., 14–17
Magalon, G., 233–238
Mahroughan, M., 36–38
Mallory, S.B., 350(c), 427–429
Mann, R.E., 122–126
Marini, R., 173(c)
Martin, N., 118–121
Masia, I.M., 259–260(c)
Masuda, T., 389–393
Matheson, B.K.,, 127–130
Mehregan, A.H., 36–38, 285–287
Mehregan, D.A., 36–38
Metzker, A., 255–257
Milgraum, S.S., 122–126
Mimouni, M., 151–153
Miralles, E.S., 143–145
Moe, A.T.T., 58–60
Molina, I., 139–142
Montesinos, E., 139–142
Morelli, J.G., 406–409, 420–421
Moreno, A., 298–302
Moreno, J.C., 18–21
Morison, W.L., 422–424
Mullins, D., 25–28
Murakami, M., 389–393

Nabai, H., 174–175(c)
Nagaraja, 10–13
Nakatani, A., 1–4
Neri, I., 173(c), 288–291, 397–402
Nikolic, M., 274–277
Nishihara, O., 389–393
Núñez, M., 143–145

Onetti Muda, A., 207–211
Oranje, A.P., 33–35, 316–320, 336–337
Orozco, M.L., 292–293
Ortega, J.J., 114–117
Ozawa, T., 1–4

Palazzi, P., 22–24
Paller, A.S., 63–64, 100–104, 347–348
Paolini, A., 22–24
Paradisi, M., 207–211
Park, C.-J., 146–147
Park, K.C., 278–280
Pasquinelli, G., 397–402
Patrizi, A., 173(c), 288–291, 397–402
Paul, E., 337
Paul, M.A., 386–388
Pauluzzi, P., 397–402
Pearlman, J., 47–50
Peer, C.D., 336–337
Peña-Penadad, C., 54–57
Phillips, C., 403–405
Piqué, E., 303–305
Prendiville, J.S., 310–312
Prens, E.P., 316–320
Priestley, G.C., 14–17
Pritzker, A.S., 430
Prose, N.S., 161–163
Puddu, P., 207–211
Puig, L., 349–350(c)

Rahbari, H., 174–175(c)
Raimer, S., 222–225
Ramon, D., 139–142
Ranalletta, M., 294–297
Rasmussen, J.E., 424–426
Repiso, T., 118–121
Requena, L., 303–305
Resnick, S., 164–165
Rest, E.B., 269–273
Revert, A., 139–142
Rhodes, A.R., 250–252, 326–329
Ribera, M., 230–232
Richert, B., 219–221
Rivera, R., 434–435(c)
Rivers, J.K., 330–331
Robayna, G., 435–436
Rocamora, V., 349–350(c)

Rocha, G., 298–302
Rodríguez-Cano, L., 114–117
Rodriguez-Pichardo, A., 18–21
Rogers, M., 95–99
Romaní, J., 349–350(c)
Romano, C., 169–170
Rosella, M., 259–260(c)
Rositto, A., 294–297
Ruas, E., 298–302
Rubio, F.A., 435–436
Ruiz-Maldonado, R., 105–113, 292–293

Sahn, E.E., 410–414
Sanchez, R.L., 222–225
Satta, R., 259–260(c)
Schepis, C., 169–170
Sharma, V.K., 372–377
Shin, H.-M., 146–147
Simonsz, H.J., 33–35
Singh, S., 10–13
Siragusa, M., 169–170
Smith, C.G., 226–229
Smith, L.J., 25–28
Smith, R.L., 313–315
Smith, V.C., 139–142
Solomon, B.A., 403–405
Stith, M., 410–414
Stolz, W., 382–385
Stroink, H., 33–35
Suzuki, T., 324–326
Szeimies, R.-M., 382–385

Taïeb, A., 274–277, 421–422
Tamayo, L., 292–293, 338–340
Tamayo-Sanchez, L., 105–113
Tay, Y.-K., 306–309, 406–409, 420–421
Tellechea, O., 298–302
Tinschert, S., 363–371
Treadwell, P.A., 163–164, 431–433
Trevisan, G., 397–402
Troost, R.J.J., 316–320

Ueda, K., 1–4

Van Gysel, D., 33–35
Velasco-Benito, J.A., 54–57

Weston, W.L., 239–245, 306–309, 406–409, 420–421
Willemaers, V., 219–221
Williams, M.L., 154–157, 321–324
Williford, P.M., 386–388
Woroszylski, A., 292–293

Yanagihara, M., 1–4
Yeager, J.K., 345–346
Yen, A., 222–225
Yi, J.-Y., 146–147

Zeharia, A., 151–153

It is our privilege to invite you to participate in the *Masters of Pediatric Dermatology* First Annual Conference at the Sonesta Beach Resort on beautiful Key Biscayne, Florida.

We are pleased to present the 1997 *Masters of Pediatric Dermatology* faculty:

Lawrence A. Schachner, M.D.
Ronald C. Hansen, M.D.
Amy S. Paller, M.D.
Lawrence F. Eichenfield, M.D.
Professor David Taplin
Terri Melnking
Robert Johr, M.D.
James Spencer, M.D.
Mark S. Nestor, M.D., Ph.D.

MASTERS OF PEDIATRIC DERMATOLOGY®

A Subsidiary of the *Masters of Pediatrics*®
Sponsored by the
University of Miami School of Medicine
Departments of Pediatrics & Dermatology

JANUARY 18-20, 1997

EXCITING TROPICAL LOCATION
OUTSTANDING FACULTY
INFORMATIVE PRESENTATIONS
ESSENTIAL WORKSHOPS
SPECIAL SYMPOSIA...

"NEONATAL SKIN: DIAGNOSTIC AND THERAPEUTIC CHALLENGES" *WITH* Ronald C. Hansen, M.D.

"LASER & SURGICAL TREATMENT OF HEMANGIOMAS & PEDIATRIC DERMATOLOGICAL LESIONS" *WITH* James Spencer, M.D.

"DERMATOLOGY IN THE AGE OF MANAGED CARE" *WITH* Mark S. Nestor, M.D., Ph.D.

CUSTOMIZE YOUR LEARNING EXPERIENCE BY CHOOSING FROM THESE OUTSTANDING EDUCATIONAL OPTIONS:

MASTERS OF PEDIATRIC DERMATOLOGY PACKAGE--*EARLY RATE: $295.00*
MASTERS 5-DAY PACKAGE--*EARLY RATE: $495.00*
Plus: ***Workshop Participation , Course Materials , Welcome Reception, "Meet the Professors", Daily Breakfast & Lunch, Over 30 Exhibits***

TO REGISTER OR FOR MORE INFORMATION CALL: 1-800-622-4453
VISIT US ON THE INTERNET AT HTTP://PEDIATRICS.MED.MIAMI.EDU/MOP.HTM